


Tinytag Connection Cables, Inductive Pads and Connectors.

ACS-3020, ACS-3030, ACS-9700, ACS-9701, ACS-9703, ACS-9750,
CAB-0005, CAB-0005-USB, CAB-0007, CAB-0007-USB, CAB-0527,
CAB-3239, CAB-3246, CAB-3233.

Issue 2
5th September 2006
E&OE



Tinytag Serial Download Cables

CAB-0005 Tinytag Transit/Talk Serial Download Cable



For Use With	TG-0050 and all Tinytag Talk 2 data loggers
PC Connection	9-way Serial Port
Cable Length	1m
Weight	60g

CAB-0007 Tinytag/Tinyview Serial Download Cable



For Use With	All Tinytag Ultra 2, Plus, Plus 2 and Tinyview Plus data loggers
PC Connection	9-way Serial Port
Cable Length	1m
Weight	60g

Tinytag USB Download Cables

CAB-0005-USB Tinytag Transit/Talk USB Download Cable



For Use With	TG-0050 and all Tinytag Talk 2 data loggers
PC Connection	USB Port
Cable Length	1m
Weight	60g

CAB-0007-USB Tinytag/Tinyview USB Download Cable



For Use With	All Tinytag Ultra 2, Plus, Plus 2 and Tinyview Plus data loggers
PC Connection	USB Port
Cable Length	1m
Weight	60g

Notes

Supported operating systems are Windows 2000 and XP.

A CD containing device drivers and a Tinytag USB User Guide are supplied with the cable.

Notes

Supported operating systems are Windows 2000 and XP.

A CD containing device drivers and a Tinytag USB User Guide are supplied with the cable.

Tinytag Connection Accessories

CAB-0527 CAB-0005 to CAB-0007 Converter



Converts a CAB-0005 into a CAB-0007.

For Use With CAB-0005 and all Tinytag Ultra, Tinytag Plus and Tinyview Plus data loggers.

Cable Length 0.2m
Weight 16g

Tinytag Inductive Pads

ACS-3020 General Tinytag Serial Inductive Pad



For Use With All Inductive Loggers
PC Connection 9-way Serial Port
Cable Length 1m
Weight 245g
Battery Type 9V PP3 Alkaline battery
Replacement Interval Annually

ACS-3030 General USB Inductive Pad



For Use With All Inductive Loggers
PC Connection USB Port
Cable Length 1m
Weight 170g

Notes

Supported operating systems are Windows 2000 and XP.

A CD containing device drivers and a Tinytag USB User Guide are supplied with the pad.

Tinytag/Talk Input Leads

CAB-3239 Tinytag Voltage/XP Input Lead



For Use With TGPR-0704, TGPR-0705, TGPR-0805 & TGPR-1002

Cable Length 1m
Weight 50g

Connection Information

Plug Pin No.	Colour	Function
A	Red	2.5V Reference
B	Black	12V (NOT TGPR-0704)
C	Blue	Sense Line (TGPR-0704)
D	Brown	Common/0V
E	White	Signal Input

CAB-3246 Tinytag Current, Millivolt, Count Input Lead



For Use With TGPR-0804, TGPR-1001 and TGPR-1201

Cable Length 1m
Weight 30g

Connection Information

Plug Pin No.	Colour	Function
A	Blue	Common/0V
B	Red	Signal Input

CAB-3233 Talk Voltage/Current Input Lead



For Use With TK-4702, TK-4802

Cable Length 0.2m

Weight 5g

Connection Information

Jack Plug	Colour	Function
Tip	White	Sense Line
Ring	Yellow	Signal Input
Shank	Black	Common/0V

Tinytag Input Plugs

ACS-9700 2 Pin Plug



For Use With TGPR-0804, TGPR-1001 and TGPR-1201

Weight 15g

Connection Information

Plug Pin No.	Function
A	Common/0V
B	Signal Input

ACS-9701 3 Pin Plug



For Use With All Tinytag Ultra 2*, Plus, Plus 2 and Tinyview Plus data loggers

Weight 15g

Connection Information

Plug Pin No.	Function
A	RX
B	TX
C	Ground

ACS-9703 5 Pin Plug



For Use With TGPR-0704, TGPR-0705, TGPR-0805 & TGPR-1002

Weight 15g

Connection Information

Plug Pin No.	Function
A	2.5V Reference
B	12V (NOT TGPR-0704)
C	Sense Line (TGPR-0704)
D	Common/0V
E	Signal Input

*To use with the Tinytag Ultra 2 remove the threaded retaining ring.

ACS-9750 K Type Thermocouple Plug



For Use With TGI-3250

Weight 5g